

HYGIENE

QUALITY AREA 2 | Version 1.1



PURPOSE

This policy will provide guidelines for procedures to be implemented at St Francis of Assisi OSHC to ensure:

- effective and up-to-date control of the spread of infection
- the provision of an environment that is safe, clean and hygienic.



POLICY STATEMENT

VALUES

St Francis of Assisi OSHC is committed to protecting all persons from disease and illness by minimising the potential for infection through:

- implementing and following effective hygiene practices that reflect advice from recognised health authorities
- implementing infection control procedures to minimise the likelihood of cross-infection and the spread of infectious diseases and illnesses to children, staff and any other persons in attendance at the service
- fulfilling the service's duty of care requirement under the [Occupational Health and Safety Act 2004](#), the [Education and Care Services National Law Act 2010](#) and the [Education and Care Services National Regulations 2011](#) to ensure that those involved with the service are protected from harm
- informing educators, staff, volunteers, children and families about the importance of adhering to the [Hygiene Policy](#) to maintain a safe environment for all users and communicating the shared responsibility between all involved in the operation of the service.

SCOPE

This policy applies to the approved provider, persons with management or control, nominated supervisor, persons in day-to-day charge, educators, staff, students, volunteers, parents/guardians, children, and others attending the programs and activities of St Francis of Assisi OSHC, including during offsite excursions and activities.

| RESPONSIBILITIES | Approved provider and persons with management or control | Nominated supervisor and persons in day-to-day charge | Educators and all other staff | Parents/guardians | Contractors, volunteers and students |
|---|--|---|-------------------------------|-------------------|--------------------------------------|
| R indicates legislation requirement, and should not be deleted | | | | | |
| Ensuring that all staff and volunteers are provided with a copy of this policy and have a clear understanding of the procedures and practices outlined within | R | √ | √ | | |
| Ensuring the nominated supervisor, educators, staff and volunteers at the service implement adequate health and hygiene practices, and safe practices for handling, preparing and storing food (<i>Regulation 77(1)(2)</i>) | R | R | | | |
| Establishing robust induction procedures that include the provision of information regarding the implementation of the practices outlined in this policy (<i>National Law: Section 167, Regulation 77</i>) | R | √ | | | |
| Developing an appropriate cleaning and sanitising schedule that outlines daily, weekly, monthly, quarterly and annual cleaning and sanitising requirements and responsibilities (<i>National Law: Section 167, Regulation 77</i>) | R | √ | √ | | |
| Arranging for the service to be cleaned and sanitised regularly, including floors and other surfaces, as per the cleaning contract and schedule (<i>National Law: Section 167, Regulation 77</i>) | R | √ | | | |
| Contacting the local council's Environmental Health Officer for information about obtaining a needle/syringe/sharps disposal unit and instructions for its use | R | √ | | | |
| Ensuring that adequate, developmental and age-appropriate toilet, hand washing, and hand drying facilities are provided for use by children, and that these are safe and accessible (<i>Regulation 109</i>) | R | √ | | | |
| Reviewing staff training needs in relation to understanding and implementing effective include hygiene practices in relation to hand washing, toileting, nappy changing and cleaning of equipment | √ | √ | | | |
| Providing a copy of the NHMRC guidelines for the prevention of infectious diseases in child care for the service (<i>refer to Sources</i>) | √ | √ | √ | | |
| Providing hand washing guidelines for display at each hand washing location (<i>refer to Procedures</i>) | √ | √ | √ | √ | √ |
| Using natural ventilation wherever possible. | | √ | √ | | √ |

| | | | | | |
|---|---|---|---|---|---|
| Ensuring there is an adequate supply of cleaning and hygiene products, including gloves, at all times | √ | √ | | | |
| Developing effective hygienic systems for cleaning, such as using colour-coded cloths in each area | √ | √ | √ | | |
| Ensuring cloths are cleaned, rinsed and stored separately, and replaced regularly | √ | √ | √ | | √ |
| Maintaining the service in a clean and hygienic manner throughout the day, such as wiping benches and tables before and after eating, and cleaning up spills | √ | √ | √ | | √ |
| Ensuring that an inspection of the outdoor areas, including the sand and soft-fall areas, are conducted daily to ensure they are maintained in a safe and hygienic manner | √ | √ | √ | | √ |
| Informing the approved provider of any issues that impact on the implementation of this policy | | √ | √ | | √ |
| Actively encouraging parents/guardians to keep children who are unwell at home to prevent the spread of infection to other children and educators | √ | √ | √ | √ | √ |
| Ensuring that there is a regular and thorough cleaning and disinfecting schedule for all equipment and toys | √ | √ | √ | | √ |
| Ensuring any chemicals and cleaning agents which are non-toxic are stored out of reach of children | √ | √ | √ | | √ |
| Ensuring that all educators/staff wear disposable gloves when dealing with open wounds or other body fluids, and dispose of those gloves and soiled materials in a sealed container or plastic bag | √ | √ | √ | | √ |
| Actively encouraging educators and staff who have or are suspected of having an infectious disease to not attend the service in order to prevent the spread of infection to others attending the service. | √ | √ | √ | | √ |
| In relation to the toileting of children: | | | | | |
| Ensuring soap and drying facilities are available at all times when children are in attendance at the service, providing an alternative if hand-dryers are not working/available. | √ | √ | √ | | √ |
| Ensuring children do not share the use of items related to personal care, such as hand towels for drying hands, toothbrushes and hairbrushes | √ | √ | √ | | √ |
| Encouraging children to flush the toilet after use | | √ | √ | | √ |
| Ensuring that information about correct hand-washing procedures is displayed in relevant areas of the service including food preparation areas (<i>refer to Procedures</i>), including visual aids for children | √ | √ | | | |
| Encouraging and assisting (where required) children to wash their hands according to hand washing guidelines (<i>refer to Procedures</i>) after toileting | | √ | √ | | √ |
| Encouraging children to tell a staff member if they have had a toileting accident | | √ | √ | | √ |
| Respecting the need to maintain privacy of toileting and dressing | | | | | |

| | | | | | |
|---|--|---|---|--|---|
| In relation to cleaning toys and the service in general: | | | | | |
| Encourage the wearing of gloves when cleaning | | √ | √ | | √ |
| Ensuring washable toys and equipment are cleaned term by term or annually, as required | | √ | √ | | √ |
| In relation to children's contact with one another: | | | | | |
| Educating and encouraging children in good personal hygiene practices, such as: | | | | | |
| <ul style="list-style-type: none"> washing their hands after blowing and wiping their nose not touching one another when they are cut or bleeding disposing of used tissues promptly and appropriately, and not lending them to other children using their own equipment for personal care, such as toothbrushes, hats, brushes and combs only touching food they are going to eat using their own drink bottles or cups. | | √ | √ | | √ |
| In relation to indoor and outdoor environments: | | | | | |
| Keeping the indoor and outdoor environments as clean and hygienic as possible at all times, including the safe disposal of discarded needles/syringes/sharps | | √ | √ | | √ |
| Promptly removing blood, urine and faeces (including animal) either indoors or outdoors, using the appropriate cleaning procedures | | √ | √ | | √ |
| Emptying water containers, such as water trays, each day (refer to Water Safety Policy) | | √ | √ | | √ |
| In relation to the safe handling of body fluids or materials in contact with body fluids: | | | | | |
| Avoid direct contact with blood or other fluids | | √ | √ | | √ |
| Not be at eye level when cleaning/treating a child's face that has blood on it, as a child's blood can enter the mouth/nose of a staff member when a child cries or coughs | | √ | √ | | √ |
| Wear gloves wherever possible | | √ | √ | | √ |
| Washing hands thoroughly with soap and running warm water after cleaning up any spills of body fluids. | | √ | √ | | √ |
| Using waterproof dressings to cover any cuts/abrasions on their own hands | | √ | √ | | √ |
| In relation to effective environmental cleaning: | | | | | |
| Clean with detergent and warm water followed by rinsing and drying to remove the bulk of infectious organisms from a surface. Particular attention should be paid to the following: | | | | | |
| <ul style="list-style-type: none"> toilets/sinks must be cleaned daily, and separate cleaning cloths/sponges must be used for each task all bench tops and floors must be washed regularly children's cups/drink bottles used for water must be washed after use | | √ | √ | | √ |



PROCEDURES

HANDWASHING GUIDELINES

Hand hygiene from the website of the National Health and Medical Research Council (2024) *Staying Healthy: Preventing infectious diseases in early childhood education and care services* (6th edition):

https://www.nhmrc.gov.au/about-us/publications/staying-healthy-guidelines/preventing-infection#toc_129



BACKGROUND AND LEGISLATION

BACKGROUND

Infections are common in children and often lead to illness. A person with an infection may or may not show signs of illness and, in many instances, the infectious phase of the illness may be in the period before symptoms become apparent, or during the recovery phase. While it is not possible to prevent all infections in education and care environments, services can prevent or control the spread of many infectious diseases by adopting simple hygiene practices.

An infection can be spread when an infected person attends the service premises and contamination occurs. A service can contribute to the spread of an infection through poor hygiene practices that allow infectious organisms to survive or thrive in the service environment.

The implementation of appropriate hygiene and infection control procedures aims to break the cycle and prevent the spread of infections at every stage. The National Health and Medical Research Council (NHMRC) suggest that to reduce illness in education and care services, the three most effective methods of infection control are:

- effective hand washing
- exclusion of sick children, staff and visitors
- immunisation.

Other strategies to prevent infection include:

- cough etiquette
- appropriate use of gloves
- effective cleaning of the service environment.

The NHMRC suggests that if these strategies are not implemented, all other procedures described in the service's *Hygiene Policy* will have reduced effectiveness in preventing the spread of infection and illness.

LEGISLATION AND STANDARDS

Relevant legislation and standards include but are not limited to:

- Education and Care Services National Law Act 2010
- Education and Care Services National Regulations 2011
- Food Act 1990
- National Quality Standard, Quality Area 2: Children's Health and Safety
- Occupational Health and Safety Act 2004
- Public Health and Wellbeing Act 2008



DEFINITIONS

Cleaning: A process that removes visible contamination such as food waste, dirt and grease from a surface. This process is usually achieved by the use of water and detergent. During this process, micro-organisms will be removed but not destroyed

Communicable disease: A disease capable of being transmitted from an infected person or species to a susceptible host, either directly or indirectly

Cough etiquette: The correct way to prevent the spread of infectious organisms that are carried in droplets of saliva is to cough or sneeze into the inner elbow or to use a tissue to cover the mouth and nose. Place all tissues in the rubbish bin immediately and clean hands with either soap and water or a disinfectant hand rub

Hygiene: The principle of maintaining health and the practices put in place to achieve this.

Infectious disease: A disease that can be spread, for example, by air, water or interpersonal contact. An infectious disease is designated under Victorian Law or by a health authority (however described) as a disease that would require the infected person to be excluded from an education and care service (*refer to Dealing with Infectious Diseases Policy*)

Neutral detergent: A cleaning agent available commercially and labelled as 'neutral' or 'neutral pH'

Sanitising: A process that destroys micro-organisms. Sanitising a surface can reduce the number of micro-organisms present. The process of sanitisation usually involves ensuring a surface is thoroughly cleaned with both heat and water, followed by the use of chemicals.



SOURCES AND RELATED POLICIES

SOURCES

- Department of Health, Victoria, Food Safety: www.health.vic.gov.au/public-health/food-safety
- Department of Health, Diseases information and advice, A-Z list of blue book diseases: www.health.vic.gov.au/infectious-diseases/disease-information-and-advice
- Department of Health: www.health.vic.gov.au/public-health/infectious-diseases
- National Health and Medical Research Council (2024) *Staying Healthy: Preventing infectious diseases in early childhood education and care services* (6th edition): www.nhmrc.gov.au/about-us/publications/staying-healthy-preventing-infectious-diseases-early-childhood-education-and-care-services

RELATED POLICIES

- Administration of First Aid
- Administration of Medication
- Child Safe Environment and Wellbeing
- Dealing with Infectious Diseases
- Dealing with Medical Conditions
- Food Safety
- Incident, Injury, Trauma and Illness
- Occupational Health and Safety
- Privacy and Confidentiality



EVALUATION

In order to assess whether the values and purposes of the policy have been achieved, the approved provider will:

- regularly seek feedback from everyone affected by the policy regarding its effectiveness
- monitor the implementation, compliance, complaints and incidents in relation to this policy and ensure satisfactory resolutions have been achieved
- keep the policy up to date with current legislation, research, policy and best practice
- revise the policy and procedures as part of the service's policy review cycle, or as required
- notifying all stakeholders affected by this policy at least 14 days before making any significant changes to this policy or its procedures, unless a lesser period is necessary due to risk ([Regulation 172 \(2\)](#)).



ATTACHMENTS

- nil

